

# Seattle City Light

Randall W. Hardy, Superintendent  
Norman B. Rice, Mayor



June 8, 1990

Friends of the Georgetown  
Steam Plant  
C / O Stuart Grover  
7900 Southeast 28th Street  
Mercer Island, Washington 98040

Dear Mr. Grover:

Georgetown Steam Plant - P.M.#240429-1-302

Enclosed is a letter Property Management received from King County International Airport regarding the debris at the Steam Plant. From our phone discussion in early May, you mentioned that this material was going to be taken away to a site for grinding.

City Light requests that the Friends of the Georgetown Steam Plant comply with the terms and conditions of its lease with the City, and immediately remove the debris. Please inform City Light in writing as to the date of removal. A copy of your lease is enclosed.

If you have any questions, I can be reached at 684-3337.

Sincerely,

**SIGNED**

David Flores  
Senior Real Property Agent

DF

Enclosure

CC: FARR (2)  
FILE

*END 773.01*

An Equal Employment Opportunity Affirmative Action Employer  
City of Seattle — City Light Department, 1015 Third Avenue, Seattle, Washington 98101-1198, Telephone: (206) 625-3000, FAX: (206) 625-3709  
Printed on recycled paper

SCL 04955

CTY0050008

SEA290486

**King County  
International Airport**  
Department of Public Works  
P.O. Box 80245  
Seattle, Washington 98108  
(206) 296-7380

June 6, 1990

Mr. Gary Farr  
Property Management  
Seattle City Light  
1015 Third Avenue  
Seattle, Washington 98104

**RECEIVED**  
**JUN 07 1990**  
PROPERTY MANAGEMENT

Dear Mr. Farr:

Recently, amounts of construction debris have been dumped on the site of the Georgetown Steam Plant located at the northwest corner of Boeing Field.

Subsequently, weeds and vegetation have grown from this debris and this situation has become a haven for birds (primarily starlings).

For obvious reasons, the Airport expends a lot of time and effort to remove and/or control bird habitats wherein large swarms of birds could inflict damage to aircraft and possible injury to persons. Bird control on and around Boeing Field is a requirement of the Federal Air Regulations (Part 139) enforced by the Federal Aviation Administration.

Therefore, I would like to solicit City Light's cooperation in removing the debris and vegetation from the Georgetown Steam Plant site and, further, maintain the vegetation at a level so as to not create a bird nesting habitat.

Thank you for your cooperation and prompt response to my request. Should you have any questions, please feel free to contact this office (296-7380).

Very truly yours,

KING COUNTY INTERNATIONAL AIRPORT

  
Donald W. Smith  
Airport Manager

DWS/ft

SCL 04956

CTY0050009

SEA290487